

YamlParser

September 4, 2026

YamlParser

Kind: Class

Source: `atlوريا-monorepo/apps/config-docs-parser/src/parsers/yaml.parser.ts`

Implements: `IParser`

Methods

Method	Signature	Returns
<code>initialize</code>	<code>initialize(config: ParserConfig)</code>	<code>Promise<void></code>
<code>canParse</code>	<code>canParse(filePath: string)</code>	<code>boolean</code>
<code>parseFile</code>	<code>parseFile(filePath: string, content: string)</code>	<code>Promise<ParseResult></code>
<code>parseFiles</code>	<code>parseFiles(files: ParseFileInput[])</code>	<code>Promise<ParseResult[]></code>
<code>destroy</code>	<code>destroy()</code>	<code>Promise<void></code>

Properties

Property	Type
<code>name</code>	<code>any</code>
<code>version</code>	<code>any</code>
<code>supportedPatterns</code>	<code>any</code>

Where it refuses work

- `YamlParser` stops the work with `Error` when `!content` — “Content is required for parsing”.
- `YamlParser` stops the work with an early return when `fileName.includes('docker-compose') || fileName.includes('compose.y')`.

- `YamlParser` stops the work with an early return when `firstDoc.services || firstDoc.version` .
- `YamlParser` stops the work with an early return when `fileName.includes('.github/workflows/') || fileName.includes('/.github/workflows/')` .
- `YamlParser` stops the work with an early return when `firstDoc.on && firstDoc.jobs` .
- `YamlParser` stops the work with an early return when `fileName.includes('.gitlab-ci')` .

When something fails

- `YamlParser` handles failure in 1 place: it turns it into a return value in all 1.