

قوائم المواد

August 25, 2026

قوائم المواد

التطبيقات > التصنيع > الأصناف

الصفحة	الوصف / التركيبة	حالة الوصفة	الرمز المرجعي	نوع قائمة المواد
☐	☐		1050107	تصنيع هذا الصف
☐	☐		1050108	تصنيع هذا الصف
☐	☐		1050109	تصنيع هذا الصف
☐	☐		1050201	تصنيع هذا الصف
☐	☐		1050202	تصنيع هذا الصف
☐	☐		1050203	تصنيع هذا الصف
☐	☐		105001	تصنيع هذا الصف
☐	☐		1080101	تصنيع هذا الصف
☐	☐		1050103	تصنيع هذا الصف
☐	☐		1050104	تصنيع هذا الصف
☐	☐		1050105	تصنيع هذا الصف
☐	☐		1050301	تصنيع هذا الصف
☐	☐		1050302	تصنيع هذا الصف
☐	☐		1050303	تصنيع هذا الصف
☐	☐		1090101	تصنيع هذا الصف
☐	☐		1090102	تصنيع هذا الصف
☐	☐		1090103	تصنيع هذا الصف
☐	☐		1090104	تصنيع هذا الصف
☐	☐		1090110	تصنيع هذا الصف

قوائم المواد — التصنيع > الأصناف > قوائم المواد


نظرة عامة

تحدد قوائم المواد المنتج المراد إنتاجه والكمية المرجعية ووحدة القياس ونوع قائمة المواد. يستخدمها مخطط الإنتاج لتوثيق متطلبات المنتج، كما يراجعها أمين المستودع عند الحاجة إلى فهم مرونة استهلاك المكونات، ويستخدمها مدير المالية عند تتبع وصفات الإنتاج ذات الدفوعات والعائد المتوقع.

نشأ قائمة المواد للمنتج أو لمتغير محدد منه، ويمكن إدارتها كوصفة أو صيغة تمر بمراحل مسودة ثم قيد المراجعة ثم معتمدة ثم نشطة، قبل جعلها متقدمة عند التوقف عن استخدامها.

الإعدادات

إذا كانت قائمة المواد تتضمن عمليات، أنشئ العمليات المطلوبة أولاً من المسار التصنيع > التهيئة > العمليات. ترتبط كل عملية بقائمة مواد ومركز عمل، ويمكن تحديد ترتيب تنفيذها ومدتها وتعليمات العمل الخاصة بها.



العمليات — التصنيع > التهيئة > العمليات

الحقل	الاستخدام
العملية (Operation)	اسم العملية التي ستنفذ ضمن قائمة المواد.
قائمة المواد (Bill of Material)	قائمة المواد التي ترتبط بها العملية.
مركز العمل (Work Center)	مركز العمل الذي تُنفذ فيه العملية.
التطبيق على المتغيرات (Apply on Variants)	يحدد متغيرات منتج قائمة المواد التي تنطبق عليها العملية.
محجوبة بواسطة (Blocked By)	يحدد العمليات التي يجب إتمامها قبل بدء العملية الحالية.
احتساب المدة (Duration Computation)	للاعتناء (Compute based on tracked time) اختر احتساب بناءً على الوقت المتتبع لإدخال المدة بنفسك (Set duration manually) على الوقت المتتبع، أو تعيين المدة يدوياً.
المدة اليدوية (Manual Duration)	مدة العملية بالدقائق عند استخدام المدة اليدوية.
ورقة العمل (Worksheet)	(Text) أو نص (Google (Google Slide)) أو شريحة PDF : اختر نوع تعليمات العمل.
PDF	PDF ملف تعليمات العمل بصيغة.
شريحة Google (Google Slide)	؛ يجب أن يكون المستند متاحاً للعامة Google Slide رابط عرض.
الوصف (Description)	تعليمات أو وصف إضافي للعملية.

تحذير: عند استخدام العمليات في قائمة المواد، تأكد من دقة سعة مركز العمل. تؤثر السعة في ملائمة كمية الإنتاج المحددة في قائمة المواد.

سير العمل

1. إنشاء قائمة مواد وتحديد نطاقها

1. انتقل إلى التصنيع > الأصناف > قوائم المواد.
2. أنشئ سجلاً جديداً بالنقر على جديد.
3. المطلوب إنتاجه (Product) أدخل المنتج.
4. بوصفها أصغر كمية يمكن إنتاجها من هذا المنتج. عند استخدام العمليات، راعِ سعة (Quantity) أدخل الكمية.
مركز العمل المرتبط.
5. المستخدمة لضبط مخزون المنتج (Unit of Measure) اختر وحدة القياس.
6. (BoM Type) اختر نوع قائمة المواد:
 - عندما تكون القائمة مخصصة لإنتاج المنتج (Manufacture this product) تصنيع هذا المنتج
 - عندما تكون القائمة من نوع طقم (Kit) طقم
7. لا تكون قائمة المواد متاحة (Product Variant) عند تخصيص القائمة لمتغير واحد فقط، حدّد متغير المنتج.
إلا لهذا المتغير عند تحديده.
8. إذا كنت تحتاج إلى رمز أو اسم تمييزي للقائمة (Reference) أدخل المرجع.

The screenshot shows a web application interface for creating a Bill of Materials (BoM) list. The interface is in Arabic. At the top, there's a navigation bar with a search icon and a user profile icon. Below the navigation bar, there's a sidebar with a search icon and a user profile icon. The main content area contains a form for creating a BoM list. The form has several sections: 'Product Variant' (Product Variant), 'Unit of Measure' (Unit of Measure), 'Quantity' (Quantity), and 'BoM Type' (BoM Type). The 'Product Variant' section is highlighted, showing a dropdown menu for 'Product Variant' and a radio button for 'Product Variant'. The 'Unit of Measure' section has a dropdown menu for 'Unit of Measure' and a radio button for 'Unit of Measure'. The 'Quantity' section has a text input field for 'Quantity' and a radio button for 'Quantity'. The 'BoM Type' section has a dropdown menu for 'BoM Type' and a radio button for 'BoM Type'. The form also includes a table for 'BoM Type' with columns for 'BoM Type', 'Unit of Measure', and 'Quantity'. The table has a header row with 'BoM Type', 'Unit of Measure', and 'Quantity'. Below the header row, there are several rows of data. The first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The tenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eleventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twelfth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fourteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventeenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The nineteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twentieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The twenty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirtieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The thirty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fortieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The forty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fiftieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The fifty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixtieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The sixty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The seventy-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eightieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The eighty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninetieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The ninety-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundredth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and tenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eleventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twelfth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fourteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventeenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and nineteenth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twentieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and twenty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirtieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and thirty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fortieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and forty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fiftieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and fifty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixtieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and sixty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and seventy-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eightieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and eighty-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninetieth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-first row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-second row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-third row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-fourth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-fifth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-sixth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-seventh row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-eighth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundred and ninety-ninth row has 'BoM Type', 'Unit of Measure', and 'Quantity'. The hundredth row has 'BoM Type', 'Unit of Measure', and 'Quantity'.

قوائم المواد — التصنيع > الأصناف > قوائم المواد

فارغاً إذا كانت قائمة المواد صالحة للمنتج دون قصرها **(Product Variant)** ملاحظة: اترك متغير المنتج على متغير محدد.

2. تحديد جاهزية التصنيع واستهلاك المكونات

اختر توقيت اعتبار التصنيع جاهزاً، **(Manufacturing Readiness)** في جاهزية التصنيع:

- إذا كان بدء الإنتاج يتطلب **(When all components are available)** عند توفر كل المكونات. توفر جميع المكونات
- **(When components for 1st operation are available)** عند توفر مكونات العملية الأولى. إذا كان توفر مكونات العملية الأولى كافياً

حدد سياسة استهلاك كمية تختلف عن الكمية المعرفة، **(Flexible Consumption)** في الاستهلاك المرن:

- للسماح لجميع مستخدمي التصنيع باستهلاك كمية أكبر أو أقل **(Allowed)** مسموح
- للسماح بالاستهلاك المختلف مع إظهار تحذير **(Allowed with warning)** مسموح مع تحذير
- لمنع استهلاك كمية تختلف عن الكمية المحددة **(Blocked)** محظور

3. قرار استخدام الوصفة أو الصيغة

1. إذا كانت قائمة المواد تحتاج إلى إدارة مكونات بالنسبة المئوية، وعوامل العائد، والإصدارات، فعل الوصفة / الصيغة **(Recipe / Formula)**.
2. أو **(Bakery)** أو مخبوزات **(Meat)** أو لحوم **(Dairy)** مثل ألبان، **(Recipe Category)** حدد فئة الوصفة **(Ready Meal)** أو وجبات جاهزة **(Beverage)** مشروبات
3. وهو حجم الدفعة القياسي الذي تُنسب إليه نسب، **(Reference Batch Size)** أدخل حجم الدفعة المرجعية. المكونات.
4. لحجم الدفعة المرجعية **(Batch UOM)** اختر وحدة قياس الدفعة.
5. لتسجيل العائد المتوقع؛ فقيمة 95 تعني فاقدًا متوقعًا بنسبة **(Yield Factor (%))** (%) أدخل عامل العائد 5% أثناء الإنتاج.
6. عند الحاجة إلى تحديد أصغر حجم دفعة **(Min Batch Size)** أدخل الحد الأدنى لحجم الدفعة.
7. فقط عندما ينتج إدخال واحد مخرجات متعددة **(Disassembly BOM)** فعل قائمة مواد التفكيك.

4. مراجعة الوصفة واعتمادها وتفعيلها

عند استخدام حالة الوصفة، اتبع دورة الحياة التالية:

1. راجع المنتج والكمية ووحدة القياس وسياسة الاستهلاك والبيانات الخاصة بالدفعة، **(Draft)** ابدأ في حالة مسودة. والعائد.

2. تنتقل الحالة إلى قيد (**Submit for Review**) عندما تصبح الوصفة جاهزة للمراجعة، انقر إرسال للمراجعة. المراجعة (**In Review**).
3. قرر ما إذا كانت الوصفة مستوفية للمتطلبات (**In Review**) في حالة قيد المراجعة:
 - (**Approved**) لقبولها؛ تنتقل إلى حالة معتمدة (**Approve**) انقر اعتماد.
 - إذا كانت تحتاج إلى تصحيح، راجع بياناتها قبل اعتمادها. لا تتوفر في الشاشة المعطاة عملية مستقلة لرفض الوصفة أو إعادتها إلى المسودة.
4. (**Active**) لجعلها نشطة (**Activate**) انقر تفعيل (**Approved**) في حالة معتمدة.
5. (**Obsolete**) لتصبح متقادمة (**Obsolete**) عند التوقف عن استخدام الوصفة النشطة، انقر جعل متقادمة.
6. لإنشاء إصدار جديد بدلاً من تعديل إصدار (**New Version**) إذا احتجت إلى إصدار لاحق، استخدم إصدار جديد قائم دون تمييز.

5. التعامل مع العمليات عند الحاجة

1. (**Copy Existing**) إذا كانت القائمة تتطلب عمليات موجودة مسبقاً، استخدم نسخ العمليات الموجودة لإعادة استخدام العمليات المتاحة (العمليات).
2. (**Archive Operation**) عند عدم الحاجة إلى عملية، استخدم أرشفة العملية.
3. عند الحاجة إلى تنفيذ عملية الاحتساب المتاحة في السجل (**Compute**) استخدم احتساب.
4. عندما تريد إنشاء قاعدة تسعير من قائمة المواد (**Create Pricing Rule**) استخدم إنشاء قاعدة تسعير.

أمثلة

أنشأ مخطط الإنتاج قائمة مواد لوصفة شراب فاكهة بحجم دفعة مرجعي قدره 100 كغ:

1. من التصنيع < الأصناف < قوائم المواد، نقر جديد.
2. شراب فاكهة مركز: (**Product**) اختار المنتج.
3. كغ: (**Unit of Measure**) ثم اختار وحدة القياس، 100: (**Quantity**) أدخل الكمية.
4. (**BoM Type**) في نوع قائمة المواد (**Manufacture this product**) اختار تصنيع هذا المنتج.
5. في جاهزية التصنيع (**When all components are available**) اختار عند توفر كل المكونات في الاستهلاك (**Allowed with warning**) ومسموح مع تحذير، (**Manufacturing Readiness**) المرن (**Flexible Consumption**).
6. (**Recipe**) في فئة الوصفة (**Beverage**) ثم اختار مشروبات، (**Recipe / Formula**) فعل الوصفة / الصيغة.
7. (**Batch**) واختار وحدة قياس الدفعة، 100: (**Reference Batch Size**) أدخل حجم الدفعة المرجعية (**UOM**): كغ.
8. %لتسجيل فاقد متوقع بنسبة 5، 95: (**Yield Factor (%)**) أدخل عامل العائد.
9. (**Submit for Review**) للمراجعة الداخلية، ثم نقر إرسال للمراجعة (**Draft**) ترك حالة الوصفة مسودة.

(Activate) ثم انقر تفعيل، (Approved) لتصبح الوصفة معتمدة (Approve) بعد المراجعة، انقر اعتماد 10. (Active). لتصبح نشطة.

نصائح

لتسهيل التمييز بين قوائم المواد المتشابهة، خصوصاً عند وجود (Reference) نصيحة: استخدم المرجع وصفات أو إصدارات متعددة للمنتج نفسه.

ووحدة الدفعة بدقة، لأن نسب (Reference Batch Size) نصيحة: أدخل حجم الدفعة المرجعية المكونات في وضع الوصفة ترتبط بهذه الكمية.

إلا عندما (Flexible Consumption) في الاستهلاك المرن (Allowed) تحذير: لا تستخدم مسموح عندما تريد (Allowed with warning) يكون اختلاف الاستهلاك مقبولاً تشغيلياً. اختر مسموح مع تحذير تنبيه المستخدم إلى الاختلاف.

استكشاف الأخطاء وإصلاحها

المعالجة	السبب المحتمل	العرض
راجع المتغير المحدد في القائمة، أو اترك الحقل فارغاً إذا كان يجب أن تنطبق القائمة على المنتج دون تخصيص متغير.	(Product Variant) تم تحديد متغير مختلف في متغير المنتج. أو أن القائمة مقصورة على متغير معين.	لا تظهر قائمة المواد للمتغير المطلوب.
راجع خيار الجاهزية، واختر عند توفر مكونات العملية (When components for 1st operation are available) الأولى إذا كان ذلك يتوافق مع سير العمل.	(When all components are available) تم اختيار عند توفر كل المكونات في جاهزية (Manufacturing Readiness) التصنيع.	لا يمكن بدء التصنيع رغم وجود بعض المكونات.
راجع الكمية الفعلية والمحددة في قائمة المواد، ثم أكمل وفق سياسة الاستهلاك المعتمدة أو عدّل الخيار عند الحاجة.	(Allowed with warning) تم اختيار مسموح مع تحذير (Flexible Consumption) في الاستهلاك المرن (Allowed with warning) في الاستهلاك المرن (Flexible Consumption).	يظهر تحذير عند استهلاك كمية مكونات مختلفة.
(Submit for Review) أرسلها أولاً باستخدام إرسال للمراجعة قبل (Approve) ثم استخدم اعتماد (Approve) انقر على تفعيل (Activate).	(Approved) لم تصل الوصفة إلى حالة معتمدة.	لا يمكن تفعيل الوصفة.

روابط ذات صلة

- قوائم المواد — مرجع الحقول
- الأصناف

- متغيرات الصنف
- التصنيع — مسار التعلم
- الأصناف — مرجع الحقول
- متغيرات الصنف — مرجع الحقول
- الشركات
- العمليات — مرجع الحقول
- أذون الاستلام
- التصنيع
- التصنيع — نظرة عامة
- تغييرات الوصفات
- توقعات الطلب
- جدول الإنتاج الرئيسي
- حملات الإنتاج