

METHOD_NAME_ALL_LOWERCASE

August 18, 2026

METHOD_NAME_ALL_LOWERCASE

Kind: Constant

Source: `src/router.ts`

Constant representing all HTTP methods in lowercase.

`METHOD_NAME_ALL_LOWERCASE` stores the lowercase method token for routes that match all HTTP methods. Router code can pass or compare this token when registering method-agnostic routes.

Definition

```
'all' as const
```

Value

```
'all' as const
```

Diagram

```
graph LR
  A[Route registration] --> B[METHOD_NAME_ALL_LOWERCASE]
  B --> C[all]
  C --> D[Router method matching]
```

Usage

```
import { METHOD_NAME_ALL_LOWERCASE } from './router'

router.add(METHOD_NAME_ALL_LOWERCASE, '/health', (context) => {
```

```
return context.text('OK')
})
```

AI Coding Instructions

- Use `METHOD_NAME_ALL_LOWERCASE` instead of hardcoding the `all` method token.
- Pass this constant to router registration code when a route should match any HTTP method.
- Keep lowercase and uppercase method tokens distinct when comparing router method values.
- Check router matching behavior before changing how all-method routes are registered.

Used by

1 reference from 1 file. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (1)

- `HonoOptions` — `src/hono-base.ts` :46