

Start here

August 17, 2026

Hono (narrator proof)

What this repository is for is not stated in prose this page can quote, so it cannot be established from this repository alone.

- **Terms of use** — MIT [package.json:650].
- **Version** — 4.13.1 [package.json:3].
- **Editions** — whether this repository is the whole product or one edition of it cannot be established from this repository alone.
- **Running it** — no run path was found in the parsed corpus, so how to start it cannot be established from this repository alone.

What is in here

Each part names what it holds before how much of it there is. The counts are read from the evidence census computed for this snapshot, one per part at most.

- **Utils** — jwt; enums and type aliases. A file to open: `accept.ts` [src/utils/accept.ts:1]. 148 entities under `src/utils` [census].
- **Helper** — ssg, css, websocket, cookie; type aliases and classes. A file to open: `accepts.ts` [src/helper/accepts/accepts.ts:5]. 109 entities under `src/helper` [census].
- **Jsx** — dom, hooks, intrinsic element; type aliases and classes. A file to open: `base.ts` [src/jsx/base.ts:27]. 147 entities under `src/jsx` [census].
- **Middleware** — language, timing, cache, compress; HTTP endpoints. A file to open: `index.ts` [src/middleware/basic-auth/index.ts:118]. 110 entities under `src/middleware` [census].
- **Client** — type aliases and class. A file to open: `fetch-result-please.ts` [src/client/fetch-result-please.ts:14]. 25 entities under `src/client` [census].
- **Docs** — no symbol kind this page can name. A file to open: `CODE_OF_CONDUCT.md` [docs/CODE_OF_CONDUCT.md:1]. 73 entities under `docs` [census].

- **Adapter** — aws lambda, bun, lambda edge, cloudflare workers; type aliases and classes. A file to open: `conninfo.ts` [`src/adapter/aws-lambda/conninfo.ts:45`]. 71 entities under `src/adapter` [census].
- **Router** — reg exp router, trie router, linear router, pattern router; type aliases and classes. A file to open: `router.ts` [`src/router/linear-router/router.ts:11`]. 21 entities under `src/router` [census].
- **Repository root and unclaimed files** — validator, .github, preset, request; type aliases and classes. A file to open: `pull_request_template.md` [`.github/pull_request_template.md:1`]. 110 entities in files no part claims [census].

Trust and security, as the code carries it

Topics below come from sweeping symbol names and file paths in the parsed corpus. They are not read from a security document: a page that takes its topics from what a document enumerates inherits whatever that document left out.

- **Authentication** — `basicAuth` [`src/middleware/basic-auth/index.ts:80`], `handler` [`src/middleware/basic-auth/index.ts:118`], `bearerAuth` [`src/middleware/bearer-auth/index.ts:104`].
- **Authorization** — `PermissionsPolicyDirective` [`src/middleware/secure-headers/permissions-policy.ts:3`].
- **Secrets and configuration** — `isTokenHeader` [`src/utils/jwt/jwt.ts:44`], `TokenHeader` [`src/utils/jwt/jwt.ts:38`], `JwtTokenAudience` [`src/utils/jwt/types.ts:106`].
- **Transport and browser boundaries** — `deleteCookie` [`src/helper/cookie/index.ts:141`], `generateCookie` [`src/helper/cookie/index.ts:78`], `generateSignedCookie` [`src/helper/cookie/index.ts:104`].
- **Input validation** — `joinPaths` [`src/helper/ssg/utils.ts:50`], `validateOptions` [`src/middleware/language/language.ts:204`], `ValidationTargets` [`src/types.ts:2683`].
- **Cryptography** — `createHash` [`src/utils/crypto.ts:33`], `sha1` [`src/utils/crypto.ts:21`], `sha256` [`src/utils/crypto.ts:15`].

No symbol name or path in the parsed corpus matched rate limiting and abuse and audit and access logging. That is a statement about the names this codebase uses, not a finding about what it does.

What this repository carries

One row per capability lane, scoped to where the evidence for it sits. A lane marked as not found means nothing in the parsed corpus matched it — which is a fact about this

parse, and the honest place to start looking rather than the end of the question.

Capability	In this repository	Where
Database models	not found	—
HTTP endpoints	40 [census]	<code>src/middleware/basic-auth/index.ts</code> , <code>src/middleware/body-limit/index.ts</code>
Controllers	not found	—
Configuration	not found	—
Automated tests	not found	—
Written documentation	yes	<code>.github/pull_request_template.md</code> , <code>LICENSE</code>
Licence	yes	<code>LICENSE</code>

Where next

Five ways in. Each one names pages that exist in this documentation, or says what the repository holds instead.

- **Deploying it** — no deployment descriptor and no deployment page were found; how this is deployed cannot be established from this repository alone.
- **Understanding the architecture** — [System Overview](#), [Utils](#), [Helper](#) and [Jsx](#).
- **Contributing a change** — [Documentation health](#) and `[docs/CONTRIBUTING.md:1]`.
- **Reviewing security** — the topics above, starting at `[src/middleware/basic-auth/index.ts:80]`.
- **Extending it** — [Middleware](#).

Before you rely on it

Each item is something the evidence for this snapshot raises, not a generic release checklist.

- 38 of 40 HTTP endpoints [census] declare no guard or middleware [parsed surface] — check that against what the surface is meant to expose.
- No test file was found in the parsed corpus — nothing here runs a check before a release.

How this page was assembled

Every count above is read from the evidence census computed for this snapshot; every other claim points at a file and a line you can open.

The census covers 814 entities and 430 relationships across 9 parts [census], and it passed its own independent recount [census].