



PAMS

Delete

Kind: API Endpoint

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/api-endpoint-delete-33

CONTENTS

1	Endpoint	2	2	Used by	2
---	----------	---	---	---------	---

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Sales/OrderChanceController.cs` (line 178)

Part of: [Pams](#)

1 Endpoint

POST

Parameter	In	Type	Required	Description
<code>ID</code>	query	<code>int</code>	✓	

2 Used by

33 references from 33 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `OrderChanceController` — `Pams/API/Pams.API/Controllers/Sales/OrderChanceController.cs` :20

Imported by (32)

- `CanceledController` — `Pams/API/Pams.API/Controllers/Sales/CanceledController.cs` :26
- `DeliveryTermController` — `Pams/API/Pams.API/Controllers/Sales/DeliveryTermController.cs` :19
- `DeliveredController` — `Pams/API/Pams.API/Controllers/Sales/DeliveredController.cs` :26
- `InquiryController` — `Pams/API/Pams.API/Controllers/Sales/InquiryController.cs` :48
- `InvoiceController` — `Pams/API/Pams.API/Controllers/Sales/InvoiceController.cs` :22
- `ItemController` — `Pams/API/Pams.API/Controllers/Sales/ItemController.cs` :18
- `JobCommentController` — `Pams/API/Pams.API/Controllers/Sales/JobCommentController.cs` :21
- `JobDocumentController` — `Pams/API/Pams.API/Controllers/Sales/JobDocumentController.cs` :19

...and 24 more.