



PAMS

Delete

Kind: API Endpoint

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/api-endpoint-delete-64

CONTENTS

1	Endpoint	2	2	Used by	2
---	----------	---	---	---------	---

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/TagsController.cs` (line 176)

Part of: [Pams](#)

1 Endpoint

POST

Parameter	In	Type	Required	Description
ID	query	int	✓	

2 Used by

30 references from 30 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `TagsController` — `Pams/API/Pams.API/Controllers/Common/TagsController.cs` :17

Imported by (29)

- `AddressController` — `Pams/API/Pams.API/Controllers/Common/AddressController.cs` :15
- `CityController` — `Pams/API/Pams.API/Controllers/Common/CityController.cs` :20
- `CommentsController` — `Pams/API/Pams.API/Controllers/Common/CommentsController.cs` :11
- `CompanyBranchContactInfoController` —
`Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs` :18
- `ConnectionTypeController` —
`Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs` :16
- `ContactInfoController` — `Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs` :15
- `ContactInfoRelatedTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs` :15
- `ContactInfoTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs` :19

...and 21 more.