

GetAll

August 18, 2026

GetAll

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/PMStatusController.cs` (line 32)

Part of: [Pams](#)

Endpoint

GET

Used by

45 references from 45 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `PMStatusController` — `Pams/API/Pams.API/Controllers/Common/PMStatusController.cs` :11

Imported by (44)

- `AddressTypeController` — `Pams/API/Pams.API/Controllers/Common/AddressTypeController.cs` :19
- `BankAccountController` — `Pams/API/Pams.API/Controllers/Common/BankAccountController.cs` :9
- `BankController` — `Pams/API/Pams.API/Controllers/Common/BankController.cs` :9
- `BookingTargetController` — `Pams/API/Pams.API/Controllers/Common/BookingTargetController.cs` :28
- `CategoryTypeController` — `Pams/API/Pams.API/Controllers/Common/CategoryTypeController.cs` :21
- `CategoryController` — `Pams/API/Pams.API/Controllers/Common/CategroyController.cs` :15

- ClientTypeController —
Pams/API/Pams.API/Controllers/Common/ClientTypeController.cs :19
- ColorMarkerController —
Pams/API/Pams.API/Controllers/Common/ColorMarkerController.cs :9

...and 36 more.