

# GetAll

August 18, 2026

---

## GetAll

---

**Kind:** API Endpoint

**Source:** `Pams/API/Pams.API/Controllers/Common/DefaultSerialStatusController.cs` (line 28)

**Part of:** [Pams](#)

## Endpoint

GET

## Used by

29 references from 29 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

## Declared in (1)

- `DefaultSerialStatusController` —  
`Pams/API/Pams.API/Controllers/Common/DefaultSerialStatusController.cs` :19

## Imported by (28)

- `CityController` — `Pams/API/Pams.API/Controllers/Common/CityController.cs` :20
- `CommentsController` — `Pams/API/Pams.API/Controllers/Common/CommentsController.cs` :11
- `CompanyBranchContactInfoController` —  
`Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs` :18
- `ConnectionTypeController` —  
`Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs` :16
- `ContactInfoController` —  
`Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs` :15
- `ContactInfoRelatedTypeController` —  
`Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs` :15

- `ContactInfoTypeController` —  
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs :19`
- `ContactPersonController` —  
`Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs :17`

...and 20 more.