

GetAll

August 18, 2026

GetAll

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/ReactivationReasonsController.cs` (line 23)

Part of: [Pams](#)

Endpoint

GET

Used by

29 references from 29 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `ReactivationReasonsController` —
`Pams/API/Pams.API/Controllers/Common/ReactivationReasonsController.cs` :15

Imported by (28)

- `CityController` — `Pams/API/Pams.API/Controllers/Common/CityController.cs` :20
- `CommentsController` — `Pams/API/Pams.API/Controllers/Common/CommentsController.cs` :11
- `CompanyBranchContactInfoController` —
`Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs` :18
- `ConnectionTypeController` —
`Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs` :16
- `ContactInfoController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs` :15
- `ContactInfoRelatedTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs` :15

- `ContactInfoTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs :19`
- `ContactPersonController` —
`Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs :17`

...and 20 more.