

GetAll

August 18, 2026

GetAll

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Sales/OrderStatusController.cs` (line 23)

Part of: [Pams](#)

Endpoint

GET

Used by

23 references from 23 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `OrderStatusController` — `Pams/API/Pams.API/Controllers/Sales/OrderStatusController.cs` :13

Imported by (22)

- `CanceledController` — `Pams/API/Pams.API/Controllers/Sales/CanceledController.cs` :26
- `DeliveryTermController` — `Pams/API/Pams.API/Controllers/Sales/DeliveryTermController.cs` :19
- `DeliveredController` — `Pams/API/Pams.API/Controllers/Sales/DeliveredController.cs` :26
- `InquiryController` — `Pams/API/Pams.API/Controllers/Sales/InquiryController.cs` :48
- `InvoiceController` — `Pams/API/Pams.API/Controllers/Sales/InvoiceController.cs` :22
- `JobItemController` — `Pams/API/Pams.API/Controllers/Sales/JobItemController.cs` :20
- `JobItemStatusDataController` — `Pams/API/Pams.API/Controllers/Sales/JobItemStatusDataController.cs` :21

- `JobProcessController` — `Pams/API/Pams.API/Controllers/Sales/JobProcessController.cs` :19

...and 14 more.