

GetByID

August 17, 2026

GetByID

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/EmployeeTypesController.cs` (line 44)

Part of: [Pams](#)

Endpoint

GET

Parameter	In	Type	Required	Description
ID	query	int	✓	

Used by

26 references from 26 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `EmployeeTypesController` — `Pams/API/Pams.API/Controllers/Common/EmployeeTypesController.cs` :20

Imported by (25)

- `AddressController` — `Pams/API/Pams.API/Controllers/Common/AddressController.cs` :15
- `CityController` — `Pams/API/Pams.API/Controllers/Common/CityController.cs` :20
- `CommentsController` — `Pams/API/Pams.API/Controllers/Common/CommentsController.cs` :11
- `CompanyBranchContactInfoController` — `Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs` :18
- `ConnectionTypeController` — `Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs` :16

- `ContactInfoController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs :15`
- `ContactInfoRelatedTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs :15`
- `ContactInfoTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs :19`

...and 17 more.