

GetByID

August 18, 2026

GetByID

Kind: API Endpoint

Source: Pams/API/Pams.API/Controllers/Common/TagsController.cs (line 40)

Part of: Pams

Endpoint

GET

Parameter	In	Type	Required	Description
ID	query	int	✓	

Used by

26 references from 26 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- TagsController — Pams/API/Pams.API/Controllers/Common/TagsController.cs :17

Imported by (25)

- AddressController — Pams/API/Pams.API/Controllers/Common/AddressController.cs :15
- CityController — Pams/API/Pams.API/Controllers/Common/CityController.cs :20
- CommentsController — Pams/API/Pams.API/Controllers/Common/CommentsController.cs :11
- CompanyBranchContactInfoController —
Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs :18
- ConnectionTypeController —
Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs :16

- `ContactInfoController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs :15`
- `ContactInfoRelatedTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs :15`
- `ContactInfoTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs :19`

...and 17 more.