

GetById

August 18, 2026

GetById

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Warehouse/StoreProductController.cs` (line 20)

Part of: [Pams](#)

Endpoint

GET /warehouse/storeproduct/getbyid/{id}

Parameter	In	Type	Required	Description
id	path	int	✓	

Used by

15 references from 15 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `StoreProductController` —
`Pams/API/Pams.API/Controllers/Warehouse/StoreProductController.cs` :9

Imported by (14)

- `BookingProductController` —
`Pams/API/Pams.API/Controllers/Warehouse/BookingProductController.cs` :8
- `DeliveryNoteController` —
`Pams/API/Pams.API/Controllers/Warehouse/DeliveryNoteController.cs` :9
- `ExternalServiceController` —
`Pams/API/Pams.API/Controllers/Warehouse/ExternalServiceController.cs` :9

- ExternalTransferController —
Pams/API/Pams.API/Controllers/Wrehouse/ExternalTransferController.cs :9
- InspectionSheetController —
Pams/API/Pams.API/Controllers/Wrehouse/InspectionSheetController.cs :10
- IssuingGoodsController —
Pams/API/Pams.API/Controllers/Wrehouse/IssuingGoodsController.cs :9
- ProductWithdrawalController —
Pams/API/Pams.API/Controllers/Wrehouse/ProductWithdrawalController.cs :9
- ProductionOrderController —
Pams/API/Pams.API/Controllers/Wrehouse/ProductionOrderController.cs :9

...and 6 more.