

GetById

August 18, 2026

GetById

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/PM/BillofMaterialController.cs` (line 20)

Part of: [Pams](#)

Endpoint

GET /pm/billofmaterial/getbyid/{id}

Parameter	In	Type	Required	Description
id	path	long	✓	

Used by

8 references from 8 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `BillofMaterialController` — `Pams/API/Pams.API/Controllers/PM/BillofMaterialController.cs` :9

Imported by (7)

- `MRQJobController` — `Pams/API/Pams.API/Controllers/PM/MRQJobController.cs` :9
- `MaterialsRequisitionController` — `Pams/API/Pams.API/Controllers/PM/MaterialsRequisitionController.cs` :9
- `ProductController` — `Pams/API/Pams.API/Controllers/PM/ProductController.cs` :9
- `ProductSupplierController` — `Pams/API/Pams.API/Controllers/PM/ProductSupplierController.cs` :9

- ProductVariantController —
Pams/API/Pams.API/Controllers/PM/ProductVariantController.cs :9
- ProductWithdrawalStrategyController —
Pams/API/Pams.API/Controllers/PM/ProductWithdrawalStrategyController.cs :8
- ReferenceListController —
Pams/API/Pams.API/Controllers/PM/ReferenceListController.cs :9