

GetById

August 17, 2026

GetById

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/PM/MaterialsRequisitionController.cs` (line 20)

Part of: [Pams](#)

Endpoint

GET `/pm/materialsrequisition/getbyid/{id}`

Parameter	In	Type	Required	Description
<code>id</code>	path	<code>long</code>	✓	

Used by

8 references from 8 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `MaterialsRequisitionController` —
`Pams/API/Pams.API/Controllers/PM/MaterialsRequisitionController.cs` :9

Imported by (7)

- `BillofMaterialController` —
`Pams/API/Pams.API/Controllers/PM/BillofMaterialController.cs` :9
- `MRQJobController` — `Pams/API/Pams.API/Controllers/PM/MRQJobController.cs` :9
- `ProductController` — `Pams/API/Pams.API/Controllers/PM/ProductController.cs` :9
- `ProductSupplierController` —
`Pams/API/Pams.API/Controllers/PM/ProductSupplierController.cs` :9

- ProductVariantController —
Pams/API/Pams.API/Controllers/PM/ProductVariantController.cs :9
- ProductWithdrawalStrategyController —
Pams/API/Pams.API/Controllers/PM/ProductWithdrawalStrategyController.cs :8
- ReferenceListController —
Pams/API/Pams.API/Controllers/PM/ReferenceListController.cs :9