

GetByID

August 18, 2026

GetByID

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Sales/ItemController.cs` (line 25)

Part of: [Pams](#)

Endpoint

GET

Parameter	In	Type	Required	Description
ItemID	query	long	✓	

Used by

8 references from 8 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `ItemController` — `Pams/API/Pams.API/Controllers/Sales/ItemController.cs` :18

Imported by (7)

- `InvoiceController` — `Pams/API/Pams.API/Controllers/Sales/InvoiceController.cs` :22
- `JobDocumentController` —
`Pams/API/Pams.API/Controllers/Sales/JobDocumentController.cs` :19
- `PaymentController` — `Pams/API/Pams.API/Controllers/Sales/PaymentController.cs` :14
- `ProjectController` — `Pams/API/Pams.API/Controllers/Sales/ProjectController.cs` :28
- `ShipmentInvoiceController` —
`Pams/API/Pams.API/Controllers/Sales/ShipmentInvoiceController.cs` :26

- UpcomingInvoiceController —
Pams/API/Pams.API/Controllers/Sales/UpcomingInvoiceController.cs :13
- UpcomingPrincipalInvoiceController —
Pams/API/Pams.API/Controllers/Sales/UpcomingPrincipalInvoiceController.cs :12