

GetByID

August 19, 2026

GetByID

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Sales/UpcomingInvoiceController.cs` (line 18)

Part of: [Pams](#)

Endpoint

GET

Parameter	In	Type	Required	Description
ID	query	long	✓	

Used by

8 references from 8 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `UpcomingInvoiceController` — `Pams/API/Pams.API/Controllers/Sales/UpcomingInvoiceController.cs` :13

Imported by (7)

- `InvoiceController` — `Pams/API/Pams.API/Controllers/Sales/InvoiceController.cs` :22
- `ItemController` — `Pams/API/Pams.API/Controllers/Sales/ItemController.cs` :18
- `JobDocumentController` — `Pams/API/Pams.API/Controllers/Sales/JobDocumentController.cs` :19
- `PaymentController` — `Pams/API/Pams.API/Controllers/Sales/PaymentController.cs` :14
- `ProjectController` — `Pams/API/Pams.API/Controllers/Sales/ProjectController.cs` :28

- `ShipmentInvoiceController` —
`Pams/API/Pams.API/Controllers/Sales/ShipmentInvoiceController.cs :26`
- `UpcomingPrincipalInvoiceController` —
`Pams/API/Pams.API/Controllers/Sales/UpcomingPrincipalInvoiceController.cs :12`