

GetById

August 18, 2026

GetById

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/CostMarginItemController.cs` (line 19)

Part of: [Pams](#)

Endpoint

GET

Parameter	In	Type	Required	Description
<code>id</code>	query	<code>long</code>	✓	

Used by

30 references from 30 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `CostMarginItemController` —
`Pams/API/Pams.API/Controllers/Common/CostMarginItemController.cs` :8

Imported by (29)

- `BankAccountController` —
`Pams/API/Pams.API/Controllers/Common/BankAccountController.cs` :9
- `BankController` — `Pams/API/Pams.API/Controllers/Common/BankController.cs` :9
- `CategoryController` — `Pams/API/Pams.API/Controllers/Common/CategroyController.cs` :15
- `ClientTypeController` —
`Pams/API/Pams.API/Controllers/Common/ClientTypeController.cs` :19

- `ColorMarkerController` —
`Pams/API/Pams.API/Controllers/Common/ColorMarkerController.cs :9`
- `CostItemController` — `Pams/API/Pams.API/Controllers/Common/CostItemController.cs :8`
- `CustomsTariffItemController` —
`Pams/API/Pams.API/Controllers/Common/CustomsTariffItemController.cs :8`
- `ExternalServiceTypeController` —
`Pams/API/Pams.API/Controllers/Common/ExternalServiceTypeController.cs :11`

...and 21 more.