

GetById

August 18, 2026

GetById

Kind: API Endpoint

Source: Pams/API/Pams.API/Controllers/Common/BankAccountController.cs (line 19)

Part of: Pams

Endpoint

GET

Parameter	In	Type	Required	Description
id	query	long	✓	

Used by

30 references from 30 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- BankAccountController —
Pams/API/Pams.API/Controllers/Common/BankAccountController.cs :9

Imported by (29)

- BankController — Pams/API/Pams.API/Controllers/Common/BankController.cs :9
- CategoryController — Pams/API/Pams.API/Controllers/Common/CategroyController.cs :15
- ClientTypeController —
Pams/API/Pams.API/Controllers/Common/ClientTypeController.cs :19
- ColorMarkerController —
Pams/API/Pams.API/Controllers/Common/ColorMarkerController.cs :9
- CostItemController — Pams/API/Pams.API/Controllers/Common/CostItemController.cs :8

- `CostMarginItemController` —
`Pams/API/Pams.API/Controllers/Common/CostMarginItemController.cs :8`
- `CustomsTariffItemController` —
`Pams/API/Pams.API/Controllers/Common/CustomsTariffItemController.cs :8`
- `ExternalServiceTypeController` —
`Pams/API/Pams.API/Controllers/Common/ExternalServiceTypeController.cs :11`

...and 21 more.