

Insert

August 17, 2026

Insert

Kind: API Endpoint

Source: Pams/API/Pams.API/Controllers/Common/ReactivationReasonsController.cs (line 55)

Part of: Pams

Endpoint

POST

Used by

27 references from 27 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- ReactivationReasonsController —
Pams/API/Pams.API/Controllers/Common/ReactivationReasonsController.cs :15

Imported by (26)

- AddressController — Pams/API/Pams.API/Controllers/Common/AddressController.cs :15
- CityController — Pams/API/Pams.API/Controllers/Common/CityController.cs :20
- CompanyBranchContactInfoController —
Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs :18
- ConnectionTypeController —
Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs :16
- ContactInfoController —
Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs :15
- ContactInfoRelatedTypeController —
Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs :15

- `ContactInfoTypeController` —
`Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs :19`
- `ContactPersonController` —
`Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs :17`

...and 18 more.