



PAMS

Insert

Kind: API Endpoint

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/api-endpoint-insert-5

CONTENTS

1	Endpoint	2	2	Used by	2
---	----------	---	---	---------	---

Kind: API Endpoint

Source: `Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs` (line 69)

Part of: [Pams](#)

1 Endpoint

POST

2 Used by

27 references from 27 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Declared in (1)

- `ContactInfoController` — `Pams/API/Pams.API/Controllers/Common/ContactInfoController.cs` :15

Imported by (26)

- `AddressController` — `Pams/API/Pams.API/Controllers/Common/AddressController.cs` :15
- `CityController` — `Pams/API/Pams.API/Controllers/Common/CityController.cs` :20
- `CompanyBranchContactInfoController` — `Pams/API/Pams.API/Controllers/Organization/CompanyBranchContactInfoController.cs` :18
- `ConnectionTypeController` — `Pams/API/Pams.API/Controllers/Common/ConnectionTypeController.cs` :16
- `ContactInfoRelatedTypeController` — `Pams/API/Pams.API/Controllers/Common/ContactInfoRelatedTypeController.cs` :15
- `ContactInfoTypeController` — `Pams/API/Pams.API/Controllers/Common/ContactInfoTypesController.cs` :19
- `ContactPersonController` — `Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs` :17
- `ContactPersonReferenceController` — `Pams/API/Pams.API/Controllers/Common/ContactPersonReferenceController.cs` :16

...and 18 more.