

ContactPersonBindingModel

August 18, 2026

ContactPersonBindingModel

Kind: Class

Source: Pams/Logic/Pams.Business/BindingModels/Common/ContactPersonBindingModel.cs (line 8)

Part of: [Pams](#)

Relationships

- IMPORTS → ContactInfoBindingModel
- IMPORTS → ContactPersonReferenceBindingModel
- IMPORTS → UserLogResultBindingModel

Used by

10 references from 10 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (10)

- ContactPersonController —
Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs :17
- AccountsController — Pams/API/Pams.API/Controllers/Person/AccountsController.cs :23
- ProjectController — Pams/API/Pams.API/Controllers/Sales/ProjectController.cs :28
- Account — Pams/Data/Pams.Data/PamsLinq5.designer.cs :166863
- Project — Pams/Logic/Pams.Business/BindingModels/Projects/Project.cs :6
- AccountViewModel —
Pams/Logic/Pams.Business/BindingModels/Person/AccountsBindingModel.cs :6
- ClientBindingModel —
Pams/Logic/Pams.Business/BindingModels/Person/ClientBindingModel.cs :7

- `SupplierBindingModel` —
`Pams/Logic/Pams.Business/BindingModels/Person/SupplierBindingModel.cs :10`

...and 2 more.