

DeliveryNote

August 18, 2026

DeliveryNote

Kind: Class

Source: Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.ts (line 763)

Part of: Pams

Properties

Property	Type
Id	number
StoreId	number
CompanyId	number
SheetNo	string
StoreName	string
ShippingOrderNo	string
ShippingOrderId	number
SalesOrderId	number
SalesJobId	number
OrderDate	Date
SalesJobNo	string
BranchName	string
VendorAddress	string
VendorPhoneNo	string
VendorFaxNo	string
ClientId	number

Property	Type
ClientName	string
ClientOrderNo	string
ShippingAddressId	number
ClientAddress	string
ClientPhoneNo	string
ClientFaxNo	string
ShippingCompany	string
DeliveryDestination	string
TotalWeight	number
DeliveryTermId	number
DeliveryTermName	string
DeliveryDate	Date
DeliveredById	number
InvoiceDate	Date
InvoiceId	number
CreatedAt	Date
CreatedById	number
LastModifiedById	number
LastModificationDate	Date
IsComplete	boolean
DeliveryNoteDetails	DeliveryNoteDetailsList[]
_ShippingOrderId	number

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- `DeliveryNoteDetailsComponent` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/delivery-note-details/delivery-note-details.component.ts :1`
- `WarehouseService` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.service.ts :1`