

JobProcess

August 19, 2026

JobProcess

Kind: Class**Source:** Pams/Web/Pams.WebApp/Client/app/models/sales/job-process.model.ts (line 3)**Part of:** Pams

JobProcess represents sales job-process data in the client application. It exposes methods for retrieving performance, warranty bond, and down payment guarantee values for use in sales workflows and UI views.

Methods

Method	Signature	Returns
getPerformanceValue	getPerformanceValue()	void
getWarrantyBondValue	getWarrantyBondValue()	void
getDownPaymentGuaranteeValue	getDownPaymentGuaranteeValue()	void

Properties

Property	Type
JobProcessID	number
InquiryNumber	number
CurrentVersionID	number
CurrentOfferVersionID	number
CurrentOrderVersionID	number
DeliveredOnDate	Date
StatusDate	Date

Property	Type
OrderBackLogPrice	number
ExpectedPrice	number
ExpectedPriceInBaseCurrency	number
ExpectedPriceCurrencyCode	string
ExpectedPriceRateToBaseCurrency	number
OrderChance	number
ExpectedPriceCurrencySymble	string
clientDelayList	ClientDelay[]
StatusID	number
ActionDate	Date
ActionByUserID	number
ReasonID	number
Comment	string
RateToBaseCurrency	number
PerformanceBondChoice	number
PerformanceBondValue	number
PerformanceBondPrecentage	number
PerformanceBondPrecentageFormatted	string
PerformanceBondValueFormatted	string
WarrantyBondChoice	number
WarrantyBondValue	number
WarrantyBondTimeChoice	number
DownPaymentGuaranteeChoice	number
DownPaymentGuaranteeValue	number
DownPaymentGuaranteePrecentage	number
DownPaymentGuaranteePrecentageFormatted	string
DownPaymentGuaranteeValueFormatted	string
OfferStatusID	number

Property	Type
OrderChanceID	number
OrderStatusID	number

Diagram

```
graph LR
  JobProcess[JobProcess]
  JobProcess --> Performance[getPerformanceValue()]
  JobProcess --> Warranty[getWarrantyBondValue()]
  JobProcess --> DownPayment[getDownPaymentGuaranteeValue()]
```

Usage

```
import { JobProcess } from './models/sales/job-process.model';

function readGuaranteeValues(jobProcess: JobProcess) {
  const performanceValue = jobProcess.getPerformanceValue();
  const warrantyBondValue = jobProcess.getWarrantyBondValue();
  const downPaymentGuaranteeValue =
    jobProcess.getDownPaymentGuaranteeValue();

  return {
    performanceValue,
    warrantyBondValue,
    downPaymentGuaranteeValue,
  };
}
```

AI Coding Instructions

- Call the value getter methods instead of reading related values directly from the `JobProcess` instance.
- Keep performance, warranty bond, and down payment guarantee handling separate so each value is shown in its intended sales context.
- Check the returned value type before formatting it for display, calculations, or API payloads.
- Update consumers when changing getter behavior, including sales forms and job-process views.

Relationships

- IMPORTS → AppSettings
- IMPORTS → ClientDelay

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- JobProcessService — Pams/Web/Pams.WebApp/Client/app/services/sales/job-process.service.ts :1
- TempInq — Pams/Web/Pams.WebApp/Client/app/models/sales/inquiry.model.ts :17