

PopoverButtonData

August 18, 2026

PopoverButtonData

Kind: Class

Source: `Pams/Web/Pams.Web/Client/app/models/common/tableViewModel.model.ts` (line 52)

Part of: [Pams](#)

Properties

Property	Type
<code>_name</code>	<code>string</code>
<code>_class</code>	<code>string</code>
<code>_DisplayName</code>	<code>string</code>
<code>DisplayCallback</code>	<code>(item: any, ...args: any[]) => boolean</code>
<code>tdDisplayCallback</code>	<code>(...args: any[]) => any</code>
<code>IsItVisible</code>	<code>boolean</code>

Used by

19 references from 19 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (19)

- `MrqDetailsComponent` — `Pams/Web/Pams.Web/Client/app/components/MRQ/mrq-details/mrq-details.component.ts` :1
- `DeductionTableComponent` — `Pams/Web/Pams.Web/Client/app/components/invoices/deduction-table/deduction-table.component.ts` :1
- `InvoiceDetailsComponent` — `Pams/Web/Pams.Web/Client/app/components/invoices/invoice-details/invoice-details.component.ts` :1

- `CurrencyRate` — `Pams/Web/Pams.Web/Client/app/components/payments/payment-details/payment-details.component.ts :1`
- `ProcurementInquiryComponent` — `Pams/Web/Pams.Web/Client/app/components/procurement/procurement-details/procurement-inquiry/procurement-inquiry.component.ts :1`
- `ProcurementOfferComponent` — `Pams/Web/Pams.Web/Client/app/components/procurement/procurement-details/procurement-offer/procurement-offer.component.ts :1`
- `ProcurementOrderComponent` — `Pams/Web/Pams.Web/Client/app/components/procurement/procurement-details/procurement-order/procurement-order.component.ts :1`
- `PurchasingDetailsComponent` — `Pams/Web/Pams.Web/Client/app/components/purchasing/purchasing-details/purchasing-details.component.ts :1`

...and 11 more.