

# ReceivedPOs

August 18, 2026

---

## ReceivedPOs

---

**Kind:** Class

**Source:** `Frontend/src/app/components/warehouse/warehouse.ts` (line 36)

**Part of:** [Frontend](#)

## Properties

| Property                                | Type                            |
|-----------------------------------------|---------------------------------|
| <code>Id</code>                         | <code>number</code>             |
| <code>OrderId</code>                    | <code>number</code>             |
| <code>OrderNumeber</code>               | <code>string</code>             |
| <code>OrderTypeId</code>                | <code>number</code>             |
| <code>ReceivedShipmentId</code>         | <code>number</code>             |
| <code>IsTotallyInspected</code>         | <code>boolean</code>            |
| <code>IsTotallyReceived</code>          | <code>boolean</code>            |
| <code>_DisabledIsTotallyReceived</code> | <code>boolean</code>            |
| <code>ReceivedProducts</code>           | <code>ReceivedProducts[]</code> |
| <code>isOpened</code>                   | <code>boolean</code>            |

## Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

## Imported by (3)

- `ReceivedPurchaseOrderComponent` — `Frontend/src/app/components/warehouse/receiving-shipment-details/received-purchase-order/received-purchase-order.component.ts :1`
- `ReceivingShipmentDetailsComponent` — `Frontend/src/app/components/warehouse/receiving-shipment-details/receiving-shipment-details.component.ts :1`
- `WarehouseService` — `Frontend/src/app/components/warehouse/warehouse.service.ts :1`