

ReceivedPOs

August 17, 2026

ReceivedPOs

Kind: Class

Source: `Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.ts` (line 37)

Part of: [Pams](#)

Properties

Property	Type
<code>Id</code>	<code>number</code>
<code>OrderId</code>	<code>number</code>
<code>OrderNumeber</code>	<code>string</code>
<code>OrderTypeId</code>	<code>number</code>
<code>ReceivedShipmentId</code>	<code>number</code>
<code>IsTotallyInspected</code>	<code>boolean</code>
<code>IsTotallyReceived</code>	<code>boolean</code>
<code>_DisabledIsTotallyReceived</code>	<code>boolean</code>
<code>ReceivedProducts</code>	<code>ReceivedProducts[]</code>
<code>isOpened</code>	<code>boolean</code>

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (3)

- `ReceivedPurchaseOrderComponent` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/receiving-shipment-details/received-purchase-order/received-purchase-order.component.ts :1`
- `ReceivingShipmentDetailsComponent` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/receiving-shipment-details/receiving-shipment-details.component.ts :1`
- `WarehouseService` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.service.ts :1`