

ReceivingShipmentDetails

August 18, 2026

ReceivingShipmentDetails

Kind: Class

Source: `Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.ts` (line 9)

Part of: [Pams](#)

Properties

Property	Type
<code>Id</code>	<code>number</code>
<code>StoreId</code>	<code>number</code>
<code>CompanyId</code>	<code>number</code>
<code>ShipmentNo</code>	<code>string</code>
<code>SheetNo</code>	<code>string</code>
<code>SupplierId</code>	<code>number</code>
<code>ReceivedAt</code>	<code>Date</code>
<code>ReceivedById</code>	<code>number</code>
<code>Comments</code>	<code>string</code>
<code>CreatedAt</code>	<code>Date</code>
<code>CreatedById</code>	<code>number</code>
<code>LastModifiedById</code>	<code>number</code>
<code>LastModificationDate</code>	<code>Date</code>
<code>ReceivedPOs</code>	<code>ReceivedPOs[]</code>
<code>_ReceivedOrders</code>	<code>number[]</code>
<code>_OrderTypeId</code>	<code>number</code>

Property	Type
<code>_ClientName</code>	<code>string</code>

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (3)

- `ReceivedPurchaseOrderComponent` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/receiving-shipment-details/received-purchase-order/received-purchase-order.component.ts :1`
- `ReceivingShipmentDetailsComponent` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/receiving-shipment-details/receiving-shipment-details.component.ts :1`
- `WarehouseService` —
`Pams/Web/Pams.Web/Client/app/components/warehouse/warehouse.service.ts :1`