

RegretDetailBindingModel

August 18, 2026

RegretDetailBindingModel

Kind: Class

Source: Pams/Logic/Pams.Business/BindingModels/NewSales/RegretDetailBindingModel.cs (line 5)

Part of: [Pams](#)

Relationships

- IMPORTS → [UserLogResultBindingModel](#)

Used by

19 references from 19 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (19)

- [MRQJobInquiryController](#) —
Pams/API/Pams.API/Controllers/PM/MRQJobInquiryController.cs :12
- [PurchasingJobController](#) —
Pams/API/Pams.API/Controllers/Purchasing/PurchasingJobController.cs :14
- [PurchasingOfferController](#) —
Pams/API/Pams.API/Controllers/Purchasing/PurchasingOfferController.cs :14
- [purchasingInquiryController](#) —
Pams/API/Pams.API/Controllers/Purchasing/purchasingInquiryController.cs :16
- [SalesItemController](#) — [Pams/API/Pams.API/Controllers/Sales/SalesItemController.cs](#) :14
- [SalesJobController](#) — [Pams/API/Pams.API/Controllers/Sales/SalesJobController.cs](#) :17
- [SalesOfferController](#) — [Pams/API/Pams.API/Controllers/Sales/SalesOfferController.cs](#) :16
- [SalesPotentialController](#) —
Pams/API/Pams.API/Controllers/Sales/SalesPotentialController.cs :14

...and 11 more.