



PAMS

TaskTreeView

Kind: Class

VERSION
4

UPDATED
11 August 2026

DOCUMENT
`reference-subsystem-pams/class-tasktreeview`

CONTENTS

1	Properties	2	2	Used by	3
---	------------	---	---	---------	---

Kind: Class

Source: `Pams/Web/Pams.Web/Client/app/models/tasks/task.model.ts` (line 50)

Part of: [Pams](#)

1 Properties

Property	Type
TaskID	number
Date	Date
DueDate	Date
CompanyBranchID	number
PriorityID	number
ParentTaskID	number
TaskPrograss	number
OwnerID	number
CreationDate	Date
ModificationDate	Date
ModificationUserID	number
StatusID	number
statusName	string
statusPriority	number
MaxStatusName	number
MaxStatusPriority	number
MaxStatusID	number
MaxStatusCounter	number
SubCounter	number

2 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- `TasksListComponent` — `Pams/Web/Pams.Web/Client/app/components/dashboard/my-desk/tasks/__tasks-list/tasks-list.component.ts` :1
- `TaskService` — `Pams/Web/Pams.Web/Client/app/services/Tasks/task.service.ts` :1