

WidgetTeamsBonusComponent

August 17, 2026

WidgetTeamsBonusComponent

Kind: Class

Source: Frontend/src/app/components/dashboard/dashboard-library/widgets/widget-teams-bonus/widget-teams-bonus.component.ts (line 19)

Part of: [Frontend](#)

`WidgetTeamsBonusComponent` is an Angular dashboard widget that loads and displays team bonus data. It checks feature subscription access, manages cached widget state, responds to value and resize changes, and coordinates chart initialization and price formatting.

Extends: `BaseWidgetComponent`

Implements: `OnInit`

Methods

Method	Signature	Returns
<code>getDashboardData</code>	<code>getDashboardData()</code>	<code>void</code>
<code>checkFeatureSubscription</code>	<code>checkFeatureSubscription()</code>	<code>boolean</code>
<code>onResize</code>	<code>onResize()</code>	<code>void</code>
<code>setChaching</code>	<code>setChaching()</code>	<code>void</code>
<code>getChaching</code>	<code>getChaching()</code>	<code>void</code>
<code>onValueChanged</code>	<code>onValueChanged(e: undefined)</code>	<code>void</code>
<code>ngOnInit</code>	<code>ngOnInit()</code>	<code>void</code>
<code>getpriceFormatted</code>	<code>getpriceFormatted(x: undefined)</code>	<code>string</code>
<code>ngDoCheck</code>	<code>ngDoCheck()</code>	<code>void</code>
<code>onChartInit</code>	<code>onChartInit(e: any, index: number)</code>	<code>void</code>

Method	Signature	Returns
switchChartTypeHandler	switchChartTypeHandler()	void
switchBasedOnTendencyHandler	switchBasedOnTendencyHandler()	void
setValue	setValue(value: number)	void

Properties

Property	Type
triangleNeedle	DxCircularGaugeComponent
originalWidget	Widget
_widget	Widget
numYears	number
numYearsDatasource	any[]
todayWidgetsEnum	any
cachingWidgetData	CachingWidgetData
teams	TeamsTendency[]
withNominal	boolean
basedOnTendency	boolean
initOpts	any
series	any[]
headerData	any
echartsIntance	any
options	any
TargetBooking	`string
AchievedBooking	`string
currenFeature	number

Where it refuses work

- WidgetTeamsBonusComponent stops the work with an early return when `this.dashboardLibraryService.checkFeatureSubscription(this.widget.chartEnumId)` .

- `WidgetTeamsBonusComponent` stops the work with an early return when `!Number.isNaN(value)` .

Diagram

```
graph LR
  Init[ngOnInit] --> Subscription[checkFeatureSubscription]
  Subscription --> Data[getDashboardData]
  Init --> CacheRead[getChaching]
  Data --> CacheWrite[setChaching]
  Data --> Chart[onChartInit]
  ValueChange[onValueChanged] --> Data
  Resize[onResize] --> Chart
  ChangeDetection[ngDoCheck] --> Data
  Data --> Price[getpriceFormatted]
```

Usage

```
import { TestBed } from '@angular/core/testing';
import { WidgetTeamsBonusComponent } from './widget-teams-bonus.component';

const fixture = TestBed.createComponent(WidgetTeamsBonusComponent);
const component = fixture.componentInstance;

fixture.detectChanges();

if (component.checkFeatureSubscription()) {
  component.getDashboardData();
  component.onChartInit();

  const formattedPrice = component.getpriceFormatted();
  console.log(formattedPrice);
}

// Call when the widget container size changes.
component.onResize();
```

AI Coding Instructions

- Let Angular create the component through its template or test fixture rather than instantiating it directly.
- Check `checkFeatureSubscription()` before requesting or rendering team bonus data.
- Keep cache reads and writes aligned with `getChaching()` and `setChaching()` so widget state remains consistent.

- Reinitialize or resize chart state through `onResize()` and `onChartInit()` rather than directly changing chart internals.
- Preserve the existing `getChaching` and `setChaching` method names when integrating with current callers.

Used by

1 reference from 1 file. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (1)

- `DashboardWidgetsModule` — `Frontend/src/app/components/dashboard/dashboard-widgets.module.ts :1`