

WidgetTopOffersByPrincipalsLastNyearsComponent

August 18, 2026

WidgetTopOffersByPrincipalsLastNyearsComponent

Kind: Class

Source: Pams/Web/Pams.Web/Client/app/components/dashboard/dashboard-library/widgets/widget-top-offers-by-principals-last-nyears/widget-top-offers-by-principals-last-nyears.component.ts (line 23)

Part of: Pams

WidgetTopOffersByPrincipalsLastNyearsComponent manages dashboard data for the top offers by principals view across recent years. It coordinates data retrieval, response handling, chart setup and interactions, year color selection, caching, and value-change updates.

Implements: OnInit

Methods

Method	Signature	Returns
getDashboardData	getDashboardData()	void
afterResponse	afterResponse(Data: any[])	void
ngOnChanges	ngOnChanges()	void
ngOnInit	ngOnInit()	void
setYearColor	setYearColor(year: number)	string
onChartInit	onChartInit(e: any)	void
onPlannedVisitsChartClick	onPlannedVisitsChartClick(e: undefined)	void
setCaching	setCaching()	void
getCaching	getCaching()	void
onValueChanged	onValueChanged(e: undefined)	void
switchChartTypeHandler	switchChartTypeHandler()	void
switchChartRefernceCommissionHandler	switchChartRefernceCommissionHandler()	void
toggoleOnlyCurrentOffers	toggoleOnlyCurrentOffers()	void
toggoleBudgetOffers	toggoleBudgetOffers()	void

Method	Signature	Returns
toggoleFirmOffers	toggoleFirmOffers()	void
switchFirmOffers	switchFirmOffers()	void
switchBudgetOffers	switchBudgetOffers()	void
nextPage	nextPage()	void
prevPage	prevPage()	void
ngOnDestroy	ngOnDestroy()	void

Properties

Property	Type
_widget	Widget
meAsVendor	boolean
isRefernceCommission	boolean
withoutOptionBar	boolean
onlyCurrentOffers	boolean
numYears	number
_FirmOffers	boolean
_BudgetOffers	boolean
numYearsDatasource	any[]
todayWidgetsEnum	any
subscription	Subscription
branchName	string
maxValueForYaxis	number
initOpts	any
series	any[]
headerData	any[]
echartsIntance	any
cachingWidgetData	CachingWidgetData
originalDatasource	WidgetTopOffers[]
datasource	WidgetTopOffers[]
originalHeader	any[]

Property	Type
options	any
skip	number

Diagram

```
graph LR
  AngularLifecycle[Angular lifecycle] --> ngOnInit
  AngularLifecycle --> ngOnChanges
  ngOnInit --> getDashboardData
  ngOnChanges --> getDashboardData
  getDashboardData --> afterResponse
  afterResponse --> setYearColor
  afterResponse --> onChartInit
  onChartInit --> Chart[Offers chart]
  Chart --> onPlannedVisitsChartClick
  ValueChange[Value change] --> onValueChanged
  onValueChanged --> setChaching
  getChaching --> getDashboardData
```

Usage

```
import { WidgetTopOffersByPrincipalsLastNyearsComponent } from './widget-top-offers-by-principals-last-

export function refreshTopOffers(
  widget: WidgetTopOffersByPrincipalsLastNyearsComponent
): void {
  widget.getChaching();
  widget.getDashboardData();
}

export function persistSelectedValue(
  widget: WidgetTopOffersByPrincipalsLastNyearsComponent
): void {
  widget.onValueChanged();
  widget.setChaching();
}
```

AI Coding Instructions

- Use `getDashboardData()` as the entry point when the widget needs refreshed dashboard content.
- Keep response-specific chart preparation in `afterResponse()` and initialize chart bindings through `onChartInit()` .
- Let Angular invoke `ngOnInit()` and `ngOnChanges()` rather than calling lifecycle hooks from application code.

- Preserve the existing `setChaching()` and `getChaching()` method names when changing cache behavior.
- Keep chart click behavior inside `onPlannedVisitsChartClick()` so chart event handling remains localized.

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- `TranslateHandler` — `Pams/Web/Pams.Web/Client/app/app.module.ts :1`
- `WidgetTopOffersByVariantsComponent` — `Pams/Web/Pams.Web/Client/app/components/dashboard/dashboard-library/widgets/widget-top-offers-by-variants/widget-top-offers-by-variants.component.ts :1`