

BookingTargetsComponent

August 19, 2026

BookingTargetsComponent

Kind: Component

Source: Pams/Web/Pams.Web/Client/app/components/configuration/company/booking-targets/booking-targets.component.ts (line 1)

Part of: [Pams](#)

Diagram

```
graph TD
    component_BookingTargetsComponent_750471ce["BookingTargetsComponent"]
    class component_BookingTargetsComponent_750471ce rootComponent
```

Relationships

- IMPORTS → AppService
- IMPORTS → AuthService
- IMPORTS → BookingTargetService
- IMPORTS → BookingTarget
- IMPORTS → BookingTeamTarget
- IMPORTS → BranchesBookingTarget
- IMPORTS → CompanyPrincipalTarget
- IMPORTS → BookingPrincipalTarget
- IMPORTS → ForecastedBookingRule
- IMPORTS → BookingTargetRuleEnum
- IMPORTS → BookingForecastRuleEnum
- IMPORTS → TeamTargetByMonths
- IMPORTS → BranchDataForBonus

- IMPORTS → TeamDataForBonus
- IMPORTS → BookingAccountManagersTarget
- IMPORTS → CompanyAccountManagersTarget
- IMPORTS → ProductTypeTarget
- IMPORTS → ProductTypeTargetHeader
- IMPORTS → Grouping
- IMPORTS → SGandABudgetHeader
- IMPORTS → FinanceBudgets
- IMPORTS → NetProfitHeader
- IMPORTS → NetProfit
- IMPORTS → Account
- IMPORTS → ProductCategoryService
- IMPORTS → AppSettings
- IMPORTS → SubscriptionPackagesEnum
- IMPORTS → RightButtonsComponent
- IMPORTS → EnumPagename
- IMPORTS → AlertsComponent
- IMPORTS → SharedPopupComponent
- IMPORTS → checkChanges
- IMPORTS → TopManagementConfigurationsComponent
- IMPORTS → LogHistoryModulesEnum

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- AppRoutingModule — Pams/Web/Pams.Web/Client/app/app-routing.module.ts :1
- TranslateHandler — Pams/Web/Pams.Web/Client/app/app.module.ts :1