



PAMS

ClientComponent

Kind: Component

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/component-clientcomponent

CONTENTS

1	Diagram	2	3	Used by	2
2	Relationships	2			

Kind: Component

Source: `Pams/Web/Pams.Web/Client/app/components/market/client/client/client.component.ts` (line 1)

Part of: [Pams](#)

1 Diagram

```
graph TD; subgraph ClientComponenten; end
```

2 Relationships

- IMPORTS → `AppService`
- IMPORTS → `AccountsService`
- IMPORTS → `AppSettings`
- IMPORTS → `SubscriptionPackagesEnum`
- IMPORTS → `RightButtonsComponent`
- IMPORTS → `SharedPopupComponent`
- IMPORTS → `AuthService`
- IMPORTS → `ListOfNewResponse`
- IMPORTS → `JobListLayoutService`
- IMPORTS → `JobListLayout`
- IMPORTS → `AlertsComponent`
- IMPORTS → `EnumPagename`
- CALLS → `AccountsController`

3 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- AppRoutingModule — Pams/Web/Pams.Web/Client/app/app-routing.module.ts :1
- TranslateHandler — Pams/Web/Pams.Web/Client/app/app.module.ts :1