

ClientViewEditComponent

August 17, 2026

ClientViewEditComponent

Kind: Component

Source: Pams/Web/Pams.Web/Client/app/components/market/client/client-view-edit/client-view-edit.component.ts (line 1)

Part of: [Pams](#)

Diagram

```
graph TD
    component_ClientViewEditComponent_5e4af803["ClientViewEditComponent"]
    class component_ClientViewEditComponent_5e4af803 rootComponent
```

Relationships

- IMPORTS → [AppService](#)
- IMPORTS → [ClientTypeService](#)
- IMPORTS → [ClientType](#)
- IMPORTS → [AddressTypeService](#)
- IMPORTS → [AddressType](#)
- IMPORTS → [AddressService](#)
- IMPORTS → [Address](#)
- IMPORTS → [AddressesTypeEnum](#)
- IMPORTS → [MarketSegmentService](#)
- IMPORTS → [MarketSegment](#)
- IMPORTS → [ContactInfo](#)
- IMPORTS → [ContactInfoService](#)
- IMPORTS → [AuthService](#)

- IMPORTS → CountryService
- IMPORTS → Country
- IMPORTS → ContactPersons
- IMPORTS → ContactPersonService
- IMPORTS → AppSettings
- IMPORTS → AccountsService
- IMPORTS → Account
- IMPORTS → AccountType
- IMPORTS → RelatedToTypes
- IMPORTS → ClientSupplierRegistration
- IMPORTS → RegistrationStatus
- IMPORTS → PreviousPageService
- IMPORTS → checkChanges
- IMPORTS → AlertsComponent
- IMPORTS → ContactViewEditComponent
- IMPORTS → SharedPopupComponent
- IMPORTS → SharedAttachedDocsComponent
- IMPORTS → File
- IMPORTS → GeneralListView
- IMPORTS → FilesComponent
- IMPORTS → FilesPortService
- IMPORTS → FilesService
- IMPORTS → ComponentCanDeactivate

Used by

4 references from 4 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (4)

- AppRoutingModuleModule — Pams/Web/Pams.Web/Client/app/app-routing.module.ts :1
- TranslateHandler — Pams/Web/Pams.Web/Client/app/app.module.ts :1
- AllAccountsComponent — Pams/Web/Pams.Web/Client/app/components/market/all-accounts/all-accounts.component.ts :1

- `PrincipalComponent` —
`Pams/Web/Pams.Web/Client/app/components/market/principles/principles/principles.component.ts :1`