



PAMS

RegistrationsComponent

Kind: Component

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/component-registrationscomponent

CONTENTS

1	Diagram	2	3	Used by	3
2	Relationships	2			


Kind: Component

Source:

Pams/Web/Pams.Web/Client/app/components/market/registrations/registrations/registrations.component.ts (line 1)

Part of: [Pams](#)

1 Diagram



RegistrationsComponent

2 Relationships

- IMPORTS → [AppSettings](#)
- IMPORTS → [ClientSupplierRegistration](#)
- IMPORTS → [JobListLayoutService](#)
- IMPORTS → [JobListLayout](#)
- IMPORTS → [DefaultJobListLayout](#)
- IMPORTS → [Project](#)
- IMPORTS → [ProjectJobs](#)
- IMPORTS → [AuthService](#)
- IMPORTS → [Supplier](#)
- IMPORTS → [Client](#)
- IMPORTS → [SupplierService](#)
- IMPORTS → [ClientService](#)
- IMPORTS → [RegistrationStatus](#)
- IMPORTS → [RegistrationsList](#)
- IMPORTS → [AlertsComponent](#)

3 Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (2)

- `AppRoutingModule` — `Pams/Web/Pams.Web/Client/app/app-routing.module.ts`:1
- `TranslateHandler` — `Pams/Web/Pams.Web/Client/app/app.module.ts`:1