

ActivitiesController

August 18, 2026

ActivitiesController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Tasks/Activities/ActivitiesController.cs (line 17)

Part of: Pams

Where it refuses work

- ActivitiesController stops the work with an early return when `item == null` , in 17 places.
- ActivitiesController stops the work with an early return when `!isAllowedToSave` , in 9 places.
- ActivitiesController stops the work with an early return when `activity == null` , in 6 places.
- ActivitiesController stops the work with an early return when `model == null` , in 2 places.
- ActivitiesController stops the work with an early return when `!isAllowed` , in 2 places.
- ActivitiesController stops the work with an early return when `isDeleted` .

Relationships

- MODULE_DECLARES → GetById
- MODULE_DECLARES → Delete
- MODULE_DECLARES → Duplicate
- MODULE_DECLARES → Save
- MODULE_DECLARES → SaveEmailActivityAndUploadAttachments
- MODULE_DECLARES → RejectJoiningActivity
- MODULE_DECLARES → SaveTopic

- MODULE_DECLARES → SaveAction
- MODULE_DECLARES → ChangeParentTopic
- MODULE_DECLARES → ReorderTopicActionList
- MODULE_DECLARES → ChangeActivityStatus
- MODULE_DECLARES → DeleteAction
- MODULE_DECLARES → DeleteTopic
- MODULE_DECLARES → DeleteAllTopics
- MODULE_DECLARES → GetLocationTypes
- MODULE_DECLARES → GetCallTypes
- MODULE_DECLARES → GetEmployeePhones
- MODULE_DECLARES → GetContactPhones
- MODULE_DECLARES → GetContactEmails
- MODULE_DECLARES → GetParticipant
- MODULE_DECLARES → GetAccountsParticipants
- MODULE_DECLARES → GetEmployeesParticipants
- MODULE_DECLARES → RemoveTaskID
- MODULE_DECLARES → GetTopicTemplates
- MODULE_DECLARES → GetTopicTemplateByID
- MODULE_DECLARES → GetTopicStandrdTemplates
- MODULE_DECLARES → GetTopicStandrdTemplateByID
- MODULE_DECLARES → SaveTemplate
- MODULE_DECLARES → DeleteTemplate
- MODULE_DECLARES → SendEmail
- MODULE_DECLARES → IsUserAllowed
- MODULE_DECLARES → UserAllowedActions
- MODULE_DECLARES → GetBranchActivities
- MODULE_DECLARES → GetBranchActivitiesFunnel
- MODULE_DECLARES → IsConversationFound
- IMPORTS → Activities
- IMPORTS → BaseController
- IMPORTS → GetByID
- IMPORTS → GetByID
- IMPORTS → GetByID

- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → DeleteDto
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → SignalRModel
- IMPORTS → ActivityTopic
- IMPORTS → CRMLinqDataContext
- IMPORTS → ActivityAction
- IMPORTS → TagsBindingModel
- IMPORTS → Comments
- IMPORTS → CommentsBindingModel
- IMPORTS → Comment
- IMPORTS → TopicTemplate
- IMPORTS → SendEmail
- IMPORTS → Address
- IMPORTS → Priority
- IMPORTS → File
- IMPORTS → ActivityListView
- IMPORTS → ActivityType
- IMPORTS → Activity

Used by

10 references from 10 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (10)

- Activities2Component — Frontend/src/app/components/dashboard/my-desk/activities/activities-2.component.ts :1
- ActivitiesComponent — Frontend/src/app/components/dashboard/my-desk/activities/activities.component.ts :1
- NotificationsService — Frontend/src/app/components/notifications/notifications.service.ts :1
- DataToAttach — Frontend/src/app/services/dashboard/mydesk/activities.service.ts :1
- Activity — Outlook_plugin/src/activity/activity.service.ts :1
- Auth — Outlook_plugin/src/auth/auth.service.ts :1
- NotificationsService — Pams/Web/Pams.Web/Client/app/components/notifications/notifications.service.ts :1
- ActivitiesService — Pams/Web/Pams.Web/Client/app/services/dashboard/mydesk/activities.service.ts :1

...and 2 more.