

# AssigneeController

August 18, 2026

---

## AssigneeController

---

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/Tasks/AssigneeController.cs (line 12)

**Part of:** Pams

### Where it refuses work

- AssigneeController stops the work with an early return when !success , in 3 places.
- AssigneeController stops the work with an early return when !ms.HasObject , in 2 places.
- AssigneeController stops the work with an early return when !ModelState.IsValid , in 2 places.
- AssigneeController stops the work with an early return when ms.HasObject .

### When something fails

- AssigneeController handles failure in 6 places: it turns it into a return value in all 6.

### Relationships

- MODULE\_DECLARES → GetAll
- MODULE\_DECLARES → GetByID
- MODULE\_DECLARES → Insert
- MODULE\_DECLARES → Update
- MODULE\_DECLARES → Save
- MODULE\_DECLARES → Delete
- IMPORTS → Assignee
- IMPORTS → BaseController

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → Insert
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Update
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

## Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

### calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6