

AuditController

August 17, 2026

AuditController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Security/AuditController.cs (line 21)

Part of: Pams

Where it refuses work

- AuditController stops the work with an early return when !ModelState.IsValid .

When something fails

- AuditController handles failure in 4 places: it turns it into a return value in all 4.

Relationships

- MODULE_DECLARES → GetByBranchID
- MODULE_DECLARES → GetByID
- MODULE_DECLARES → GetAll
- MODULE_DECLARES → GetAllSalesJobs
- MODULE_DECLARES → GetAllSalesJobs
- IMPORTS → BaseController
- IMPORTS → Audit
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → AuditBindingModel
- IMPORTS → GetByID
- IMPORTS → GetByID
- IMPORTS → AuditLogFiltersBindingModel

- IMPORTS → UserLogFilterBindingModel
- IMPORTS → UserExportBindingModel

Used by

4 references from 4 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (4)

- EnhanceLoginResponse — Frontend/src/app/services/security/auth.service.ts :1
- PageData — Pams/Web/Pams.Web/Client/app/services/security/auth.service.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126