

BankController

October 2, 2026

BankController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/BankController.cs (line 9)

Part of: [Pams](#)

Where it refuses work

- `BankController` stops the work with an early return when `!isFound` , in 3 places.
- `BankController` stops the work with an early return when `isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully` .
- `BankController` stops the work with an early return when `isDeleted != Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully` .

Relationships

- MODULE_DECLARES → `GetById`
- MODULE_DECLARES → `GetAll`
- MODULE_DECLARES → `GetLookup`
- MODULE_DECLARES → `GetBankFacilityPercentage`
- MODULE_DECLARES → `Save`
- MODULE_DECLARES → `Delete`
- IMPORTS → `BaseController`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`
- IMPORTS → `GetById`

- [illegible]

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → GetLookup
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → BankBindingModel
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- [illegible]

Used by

2 references from 2 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (2)

- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts` :241
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts` :126