

CommentsController

August 18, 2026

CommentsController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/CommentsController.cs (line 11)

Part of: Pams

Where it refuses work

- `CommentsController` stops the work with an early return when `item == null` , in 11 places.
- `CommentsController` stops the work with an early return when `string.IsNullOrEmpty(model.CommentContent)` .

Relationships

- MODULE_DECLARES → `GetByID`
- MODULE_DECLARES → `GetAll`
- MODULE_DECLARES → `Delete`
- MODULE_DECLARES → `Save`
- MODULE_DECLARES → `SaveBulk`
- MODULE_DECLARES → `GetCommentsByJobId`
- MODULE_DECLARES → `GetCommentsByLGId`
- MODULE_DECLARES → `GetCommentsByInvoiceId`
- MODULE_DECLARES → `GetCommentsByPrincipalInvoiceId`
- MODULE_DECLARES → `GetCommentsByStoreProductId`
- MODULE_DECLARES → `GetCommentsByProductId`
- MODULE_DECLARES → `GetCommentsByRelatedTypeId`
- MODULE_DECLARES → `GetSubCommentsByParentId`
- MODULE_DECLARES → `GetCommentsByProjectId`

- MODULE_DECLARES → Search
- IMPORTS → BaseController
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetById
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- [illegible]

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → SaveBulk

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6