

CompanyBranchController

August 17, 2026

CompanyBranchController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Organization/CompanyBranchController.cs (line 21)

Part of: Pams

Where it refuses work

- `CompanyBranchController` stops the work with an early return when `isSaved` , in 4 places.
- `CompanyBranchController` stops the work with an early return when `!item.Save()` , in 2 places.
- `CompanyBranchController` stops the work with an early return when `!logic.IsAllowedToAddBranchAsPerSubscription(CompanyID)` .
- `CompanyBranchController` stops the work with an early return when `CheckForDuplicate.HasObject` .
- `CompanyBranchController` stops the work with an early return when `!new CompanyBranchLogic().IsFound(ID)` .
- `CompanyBranchController` stops the work with an early return when `isDeleted == Business.Entity.EnumNewSales.EnumReturnMessage.DeletedSuccessfully` .

When something fails

- `CompanyBranchController` handles failure in 2 places: it turns it into a return value in all 2.

Relationships

- MODULE_DECLARES → `Save`
- MODULE_DECLARES → `insert`

- [illegible]

- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → CompanyBranchBindingModel
- IMPORTS → Person
- IMPORTS → TeamBindingModel
- IMPORTS → Account
- IMPORTS → CompanyBranchAccount
- IMPORTS → Address
- IMPORTS → ContactInfoRelatedType
- IMPORTS → ContactInfo
- IMPORTS → ContactInfoBindingModel
- IMPORTS → UnitOfWork
- IMPORTS → CompanyBranchBankAccountBindingModel
- IMPORTS → CompanyBranchBankAccount
- IMPORTS → AccountType
- IMPORTS → Employee
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete

- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → UpdateLogo
- IMPORTS → Files
- IMPORTS → UploadFile
- IMPORTS → AddressController
- IMPORTS → BranchMarginBindingModel
- IMPORTS → SecurityBindingModel
- IMPORTS → EmployeeBonusCalcTypeHeaderBindingModel

Used by

4 references from 4 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (4)

- AuthService — Pams/Web/portal/pams-web/src/app/services/security/auth.service.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6