

CompanyController

August 17, 2026

CompanyController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Organization/CompanyController.cs (line 26)

Part of: Pams

Where it refuses work

- `CompanyController` stops the work with an early return when `companyId != CompanyID` , in 6 places.
- `CompanyController` stops the work with an early return when `obj != null` , in 5 places.
- `CompanyController` stops the work with an early return when `isSaved` , in 4 places.
- `CompanyController` stops the work with an early return when `!ModelState.IsValid` , in 3 places.
- `CompanyController` stops the work with an early return when `subdomainExists` , in 2 places.
- `CompanyController` stops the work with an early return when `!success` , in 2 places.

When something fails

- `CompanyController` handles failure in 14 places: it turns it into a return value in 13, and discards it silently in 1. A failure discarded silently leaves no trace for whoever debugs this later.

Relationships

- MODULE_DECLARES → `CreateCompany`
- MODULE_DECLARES → `Insert`
- MODULE_DECLARES → `Update`

- MODULE_DECLARES → UpdateLogo
- MODULE_DECLARES → ApprovalProssesSetting
- MODULE_DECLARES → ApprovalProssesList
- MODULE_DECLARES → GetSharedObjects
- MODULE_DECLARES → ShareCommons
- MODULE_DECLARES → RefreshDemoData
- MODULE_DECLARES → DeleteDemoData
- MODULE_DECLARES → IsDemoDataUsed
- MODULE_DECLARES → GetInvoiceSetting
- MODULE_DECLARES → SaveInvoiceSetting
- MODULE_DECLARES → GetMrmSetting
- MODULE_DECLARES → GetMrmSetting
- MODULE_DECLARES → SaveMrmSetting
- MODULE_DECLARES → GetIntegrationSetting
- MODULE_DECLARES → GetBranchIntegrationConfig
- MODULE_DECLARES → SaveIntegrationSetting
- IMPORTS → Company
- IMPORTS → BaseController
- IMPORTS → GetByID
- IMPORTS → GetByID
- IMPORTS → CompanyBindingModel
- IMPORTS → CompanyBranchBindingModel
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → Save
- IMPORTS → CompanyBranchAccount
- IMPORTS → CompanyBranchSetting
- IMPORTS → CompanyBranchPerson
- IMPORTS → UserBranchsPermissions
- IMPORTS → BranchTarget
- IMPORTS → Insert
- IMPORTS → CompanyBranch
- IMPORTS → Update

- IMPORTS → Update
- IMPORTS → UpdateLogo
- IMPORTS → PostedFile
- IMPORTS → Delete
- IMPORTS → Delete
- IMPORTS → Address
- IMPORTS → Country
- IMPORTS → CompanyBranchProfileBindingModel
- IMPORTS → City
- IMPORTS → Person
- IMPORTS → ApplicationUserManager
- IMPORTS → File
- IMPORTS → PersonDepartment
- IMPORTS → CompanyApprovalHeaderBindingModel
- IMPORTS → SharedObjectHeader
- IMPORTS → CompanyFinanceSettingHeaderBindingModel
- IMPORTS → CompanyMrmSettingHeaderBindingModel
- IMPORTS → CompanyIntegrationSettingBindingModel

Used by

9 references from 9 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (9)

- BranchDetailsComponent — Frontend/src/app/components/configuration/company/main-branch/branch-details.component.ts :1
- NewBranchComponent — Frontend/src/app/components/configuration/company/main-branch/new.branch.component.ts :1
- WarehouseConfigListComponent — Frontend/src/app/components/configuration/company/warehouse/warehouse-config-list/warehouse-config-list.component.ts :1
- NewBranchComponent — Pams/Web/Pams.Web/Client/app/components/configuration/company/main-branch/new.branch.component.ts :1

- BranchDetailsComponent —
Pams/Web/Pams.Web/Client/app/components/configuration/company/main-branch/branch-
details.component.ts :1
- WarehouseConfigListComponent —
Pams/Web/Pams.Web/Client/app/components/configuration/company/warehouse/warehouse-config-
list/warehouse-config-list.component.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126

...and 1 more.