



PAMS

# ContactPersonController

Kind: Controller

VERSION  
4

UPDATED  
11 August 2026

DOCUMENT  
`reference-subsystem-pams/controller-contactpersoncontroller`

## CONTENTS

|   |                       |   |   |               |   |
|---|-----------------------|---|---|---------------|---|
| 1 | Where it refuses work | 2 | 3 | Relationships | 2 |
| 2 | When something fails  | 2 | 4 | Used by       | 7 |

**Kind:** Controller

**Source:** Pams/API/Pams.API/Controllers/Common/ContactPersonController.cs (line 17)

**Part of:** Pams

## 1 Where it refuses work

- `ContactPersonController` stops the work with an early return when `!isAllowed`, in 3 places.
- `ContactPersonController` stops the work with an early return when `!model.RelatedToID.HasValue || !model.ContactPersonRelatedTypeID.HasValue`.
- `ContactPersonController` stops the work with an early return when `isExsist`.
- `ContactPersonController` stops the work with an early return when `checkForDublicate`.
- `ContactPersonController` stops the work with an early return when `isSaved != Business.Entity.EnumNewSales.EnumReturnMessage.SavedSuccessfully`.
- `ContactPersonController` stops the work with an early return when `!ModelState.IsValid`.

## 2 When something fails

- `ContactPersonController` handles failure in 4 places: it turns it into a return value in all 4.

## 3 Relationships

- MODULE\_DECLARES → `GetByRelatedToId`
- MODULE\_DECLARES → `GetAll`
- MODULE\_DECLARES → `GetAllIGsFunnel`
- MODULE\_DECLARES → `GetAllByProjectId`
- MODULE\_DECLARES → `GetContactsByJobId`
- MODULE\_DECLARES → `GetContactsLookup`
- MODULE\_DECLARES → `AddContactToJob`
- MODULE\_DECLARES → `AddContactToProject`
- MODULE\_DECLARES → `RemoveContactFromInquiry`
- MODULE\_DECLARES → `RemoveContactFromProject`
- MODULE\_DECLARES → `GetByID`
- MODULE\_DECLARES → `Insert`
- MODULE\_DECLARES → `Update`
- MODULE\_DECLARES → `Save`

- MODULE\_DECLARES → GetContactByName
- MODULE\_DECLARES → Delete
- MODULE\_DECLARES → GetLookupAllByCompanyId
- IMPORTS → ContactPerson
- IMPORTS → BaseController
- IMPORTS → GetByRelatedToId
- IMPORTS → GetByRelatedToId
- IMPORTS → ContactPersonBindingModel
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → ContactInfoBindingModel
- IMPORTS → GetById

- [illegible]

- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →
- IMPORTS →

- IMPORTS → [Update](#)
- IMPORTS → [Update](#)
- IMPORTS → [Update](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Save](#)
- IMPORTS → [Delete](#)
- IMPORTS → [Delete](#)
- IMPORTS → [Delete](#)
- IMPORTS → [Delete](#)

- [illegible]

#### 4 Used by

5 references from 5 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

**calls by (5)**

- `Contact` — `Outlook_plugin/src/contacts/contact.service.ts`:1
- `ContactPersonService` — `Pams/Web/Pams.WebApp/Client/app/services/common/contact-person.service.ts`:1
- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts`:241

- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6