



PAMS

CurrencyController

Kind: Controller

VERSION
4

UPDATED
11 August 2026

DOCUMENT
reference-subsystem-pams/controller-currencycontroller

CONTENTS

1	Where it refuses work	2	3	Relationships	2
2	When something fails	2	4	Used by	3

Kind: Controller

Source: `Pams/API/Pams.API/Controllers/Common/CurrencyController.cs` (line 20)

Part of: [Pams](#)

1 Where it refuses work

- `CurrencyController` stops the work with an early return when `string.IsNullOrEmpty(fromCurrency) || string.IsNullOrEmpty(toCurrency)`.
- `CurrencyController` stops the work with an early return when `fromCurrency == 0 || toCurrency == 0`.

2 When something fails

- `CurrencyController` handles failure in 3 places: it turns it into a return value in all 3.

3 Relationships

- `MODULE_DECLARES` → `GetPricePercentage`
- `IMPORTS` → `Currency`
- `IMPORTS` → `BaseController`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`
- `IMPORTS` → `GetAll`

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → Person
- IMPORTS → CompanyCurrency

4 Used by

6 references from 6 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (1)

- InquiryController — Pams/API/Pams.API/Controllers/Sales/InquiryController.cs :48

calls by (5)

- BillOfMaterialsService — Frontend/src/app/components/bill-of-materials/bill-of-materials.service.ts :1
- CurrencyService — Pams/Web/Pams.WebApp/Client/app/services/common/currency.service.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6