

CurrencyController

August 17, 2026

CurrencyController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/CurrencyController.cs (line 20)

Part of: Pams

Where it refuses work

- CurrencyController stops the work with an early return when `string.IsNullOrEmpty(fromCurrency) || string.IsNullOrEmpty(toCurrency)` .
- CurrencyController stops the work with an early return when `fromCurrency == 0 || toCurrency == 0` .

When something fails

- CurrencyController handles failure in 3 places: it turns it into a return value in all 3.

Relationships

- MODULE_DECLARES → GetPricePercentage
- IMPORTS → Currency
- IMPORTS → BaseController
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → Person
- IMPORTS → CompanyCurrency

Used by

6 references from 6 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

Imported by (1)

- InquiryController — Pams/API/Pams.API/Controllers/Sales/InquiryController.cs :48

calls by (5)

- BillOfMaterialsService — Frontend/src/app/components/bill-of-materials/bill-of-materials.service.ts :1
- CurrencyService — Pams/Web/Pams.WebApp/Client/app/services/common/currency.service.ts :1
- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241

- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6