

DashboardDataController

August 19, 2026

DashboardDataController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/DashBoard/DashboardDataController.cs (line 11)

Part of: Pams

Where it refuses work

- DashboardDataController stops the work with an early return when `item == null` , in 3 places.
- DashboardDataController stops the work with an early return when `skip < 0 || take < 0 || take > 10` , in 3 places.

Relationships

- MODULE_DECLARES → GetCurrentJobs
- MODULE_DECLARES → GetBookingData
- MODULE_DECLARES → GetBookingsvsTarget
- MODULE_DECLARES → GetTopPrincipalsAgreedCommissionOverLastYears
- MODULE_DECLARES → GetTopVendorsBookingOverLastYears
- MODULE_DECLARES → GetTopVendorsDeliveriesOverLastYears
- MODULE_DECLARES → GetTopVendorsBacklog
- MODULE_DECLARES → GetTopClientsBookingOverLastYears
- MODULE_DECLARES → GetTopClientsDeliveriesOverLastYears
- MODULE_DECLARES → GetTopClientsBacklog
- MODULE_DECLARES → GetTeamsBookingOverLastYears
- MODULE_DECLARES → GetTeamsSalesOverLastYears
- MODULE_DECLARES → GetTeamsBacklog
- MODULE_DECLARES → GetBookingOverLastYearsByProductTypes

- MODULE_DECLARES → GetSalesOverLastYearsByProductTypes
- MODULE_DECLARES → GetBacklogByProductTypes
- MODULE_DECLARES → GetAccountManagersBookingOverLastYears
- MODULE_DECLARES → GetAccountManagerSalesOverLastYears
- MODULE_DECLARES → GetAccountManagersBacklog
- MODULE_DECLARES → GetMarketSegmentsBookingOverLastYears
- MODULE_DECLARES → GetMarketSegmentsSalesOverLastYears
- MODULE_DECLARES → GetMarketSegmentsBacklog
- MODULE_DECLARES → GetMonthsBookingOverLastYears
- MODULE_DECLARES → GetMonthsSalesOverLastYears
- MODULE_DECLARES → GetMonthsBacklog
- MODULE_DECLARES → GetPrincipalCommissionInvoicesOverStatus
- MODULE_DECLARES → GetTopClientsByOffersOverLastYears
- MODULE_DECLARES → GetTopMarketSegmentsByOffersOverLastYears
- MODULE_DECLARES → GetTeamsOffersOverLastYears
- MODULE_DECLARES → GetVendorsOffersOverLastYears
- MODULE_DECLARES → GetTopClientsByOfferHitrateOverLastYears
- MODULE_DECLARES → GetTopVendorsByOfferHitrateOverLastYears
- MODULE_DECLARES → GetTopTeamsByOfferHitrateOverLastYears
- MODULE_DECLARES → GetTopSalesRepByOfferHitrateOverLastYears
- MODULE_DECLARES → GetTopProductTypeOffersHitrateOverLastYears
- MODULE_DECLARES → GetTopMarketSegmentOffersHitrateOverLastYears
- MODULE_DECLARES → GetBusinessanAlysis
- MODULE_DECLARES → GetBusinessanAlysisSubmittedOffers
- MODULE_DECLARES → GetBusinessanAlysisLastYearsSales
- MODULE_DECLARES → GetBusinessanAlysisLastYearsBooking
- MODULE_DECLARES → GetBusinessanAlysisLostOrderData
- MODULE_DECLARES → GetBusinessanAlysisLastPreviousOrderData
- MODULE_DECLARES → GetPMStatus
- MODULE_DECLARES → GetWidgetData_ClientsOffersSummary
- MODULE_DECLARES → GetWidgetData_PrincipalReport
- IMPORTS → BaseController
- IMPORTS → GetCurrentJobs

- IMPORTS → `BusinessAnalysisBindingModel`
- IMPORTS → `Widget_GetOrdersForLastandPreviousBindingModel`
- IMPORTS → `PrincipalReportQueryModel`

Used by

4 references from 4 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (4)

- `MRMCashFlowForecasted` — `Frontend/src/app/services/dashboard/dashboard-library.service.ts :1`
- `CachingWidgetData` — `Pams/Web/Pams.Web/Client/app/services/dashboard/dashboard-library.service.ts :1`
- `AppSettings` — `Frontend/src/app/settings/app/app.settings.ts :241`
- `AppSettings` — `Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126`