

DataSourceController

August 18, 2026

DataSourceController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/DashBoard/DataSourceController.cs (line 18)

Part of: Pams

Where it refuses work

- DataSourceController stops the work with an early return when `project.Databases == null || project.Databases.Count == 0` , in 4 places.
- DataSourceController stops the work with an early return when `System.Configuration.ConfigurationManager.ConnectionStrings[ID] == null` , in 2 places.
- DataSourceController stops the work with an early return when `System.Configuration.ConfigurationManager.ConnectionStrings[parameter.Connection] == null` , in 2 places.

When something fails

- DataSourceController handles failure in 9 places: it turns it into a return value in 7, and logs it and continues in 2.

Relationships

- MODULE_DECLARES → GetAllConnections
- MODULE_DECLARES → GetAllViews
- MODULE_DECLARES → GetAllTableColumns
- MODULE_DECLARES → GetAllViewColumns
- MODULE_DECLARES → getTableData
- IMPORTS → BaseController
- IMPORTS → DataSourceConnectionBindingModel

- IMPORTS → TableDataBinding
- IMPORTS → DataType
- IMPORTS → ViewDataBinding
- IMPORTS → GetColumnPrameter
- IMPORTS → ColumnDataBinding
- IMPORTS → Table
- IMPORTS → View

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- AppSettings — Frontend/src/app/settings/app/app.settings.ts :241
- AppSettings — Pams/Web/Pams.Web/Client/app/settings/app/app.settings.ts :126
- AppSettings — Pams/Web/Pams.WebApp/Client/app/settings/app/app.settings.ts :6