

EmployeeController

August 19, 2026

EmployeeController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Person/EmployeeController.cs (line 29)

Part of: Pams

Where it refuses work

- `EmployeeController` stops the work with an early return when `CheckForPersonDublicate` , in 2 places.
- `EmployeeController` stops the work with an early return when `!p.Save()` , in 2 places.
- `EmployeeController` stops the work with an early return when `!c.Save()` , in 2 places.
- `EmployeeController` stops the work with an early return when `!address.Save()` , in 2 places.
- `EmployeeController` stops the work with an early return when `!contactinfo.Save()` , in 2 places.
- `EmployeeController` stops the work with an early return when `!entity.Delete()` .

When something fails

- `EmployeeController` handles failure in 28 places: it turns it into a return value in 27, and logs it and continues in 1.

Relationships

- `MODULE_DECLARES` → `GetForDisplay`
- `MODULE_DECLARES` → `Get`
- `MODULE_DECLARES` → `UploadBranchImage`
- `MODULE_DECLARES` → `Save`
- `MODULE_DECLARES` → `insert`

- MODULE_DECLARES → update
- MODULE_DECLARES → delete
- MODULE_DECLARES → delete
- MODULE_DECLARES → CopyTo
- MODULE_DECLARES → GetDataToBeExported
- MODULE_DECLARES → GetSheet
- MODULE_DECLARES → import
- IMPORTS → Person
- IMPORTS → BaseController
- IMPORTS → GetAll
- IMPORTS → Employee
- IMPORTS → EmployeeBindingModel
- IMPORTS → GetForDisplay
- IMPORTS → EmployeesViewModel
- IMPORTS → Gender
- IMPORTS → Nationality
- IMPORTS → EmployeesViewModelPlusCount
- IMPORTS → PersonBindingModel
- IMPORTS → Client
- IMPORTS → ClientBindingModel
- IMPORTS → UploadBranchImage
- IMPORTS → CacheClearFilter
- IMPORTS → Address
- IMPORTS → ContactInfo
- IMPORTS → ContactInfoRelatedType
- IMPORTS → MaritalStatus
- IMPORTS → Country
- IMPORTS → CompanyBranchDepartment
- IMPORTS → EmployeeImportModel
- IMPORTS → LookUpImportModel
- IMPORTS → PostedFile
- IMPORTS → PersonRelatedProperties
- IMPORTS → CompanyBranch

- IMPORTS → ImportXMLError
- IMPORTS → PersonEmail
- IMPORTS → PersonPhone
- IMPORTS → City
- IMPORTS → PersonAddress

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- EmployeeService — Frontend/src/app/services/person/employee.service.ts :1
- EmployeeService — Pams/Web/Pams.Web/Client/app/services/person/employee.service.ts :1
- EmployeeService —
Pams/Web/Pams.WebApp/Client/app/services/person/employee.service.ts :1