

GenderController

August 17, 2026

GenderController

Kind: Controller

Source: Pams/API/Pams.API/Controllers/Common/GenderController.cs (line 21)

Part of: Pams

When something fails

- GenderController handles failure in 2 places: it turns it into a return value in all 2.

Relationships

- MODULE_DECLARES → GetAll
- IMPORTS → BaseController
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll

- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → GetAll
- IMPORTS → Gender
- IMPORTS → GenderBindingModel

Used by

3 references from 3 files. Each is a place in this repository where the symbol is actually used — go read one rather than trusting an example.

calls by (3)

- EmployeeService — Frontend/src/app/services/person/employee.service.ts :1
- EmployeeService — Pams/Web/Pams.Web/Client/app/services/person/employee.service.ts :1
- EmployeeService —
Pams/Web/Pams.WebApp/Client/app/services/person/employee.service.ts :1